

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1-4. (cancelled)

5. (currently amended) A gasket material that is manufactured from a joint seat which is made from an ingredient made by mixing and kneading rubber, ~~reinforced~~ reinforcing fiber and filler, and pressurized laminating and vulcanizing the mixed and kneaded ingredient by means of a calender roll,

~~characterized in that wherein~~ said joint seat has ~~[[an]]~~ a mono-layer structure, and, ~~the fundamental the~~ composition of the ingredient materials ~~is that the rate of~~ comprises at least 15% by weight of aramid fiber as the ~~reinforced reinforcing fiber is over 15wt%, the rate of~~ 10-30% by weight of NBR as the rubber material ~~is 10wt% - 30wt%, the rate of~~ 2-26% by weight of phenol resin as the filler ~~is 2wt% - 26wt%,~~ and the remainder is ~~the~~ an inorganic filler.

6. (currently amended) The gasket material according to claim 5, ~~characterized in that~~ wherein said phenol resin is resol type.

7-9. (cancelled)

10. (new) A gasket material produced by the steps of:
mixing and kneading an ingredient material;
pressurized laminating and vulcanizing the mixed and
kneaded ingredient material by application of a calender roll to
produce said gasket material having a mono-layer structure,
wherein said ingredient material comprises:
at least 15% by weight of aramid fiber as a reinforcing
fiber,
10-30% by weight of NBR as a rubber material,
2-26% by weight of a phenol resin as a filler, and
an inorganic filler.

11. (new) The gasket material of claim 10, wherein said
phenol resin is resol type.

12. (new) A gasket material comprising:
at least 15% by weight of aramid fiber as a reinforcing
fiber,
10-30% by weight of NBR as a rubber material,
2-26% by weight of a phenol resin as a filler, and
an inorganic filler,
wherein said gasket material has a mono-layer
structure.

13. (new) The gasket material of claim 12, wherein said phenol resin is resol type.